Hoz Cat Result, Abandoned Truck

Flammable: 2, 3, 11 (bottom), 13, 15, 19

Semi-flammable: 4, 8

Non-flammable: 1, 5, 6, 9, 10, 11 (top), 14, 16, 17, 18, 21

#7 - not opened

I whater - note of bild below, to one of the fenants. He'll move it

Contacted someone to take the bettery to reclaim the lead.

HAZARDOUS	SUBSTANCES	INVENTORY


SITE NO. Cust. Dist. RECORDER DATE 5/27/91
container id no. #2 zone truck
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER top - orange-brown bottom - whitish
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM X POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: HNU reading: 320 unit LEL: some reading PH=7
not soluble in H2O, soluble in Hexane,
Elammable

SITE NO. Cast Dist. RECORDER DATE 5/27/192
container id no. #3 zone truck
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER top - brown bottom - yellow
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM X POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
weight or volume of container <u>full</u>
HOW MANY OF THIS CONTAINER TYPE
NOTES: HNu reading = 200 unit. pH = 0-1
not soluble in H2O; soluble in Hexane
Flammable.

PRELIMINARY ASSESSMENT (**) HAZARDOUS SUBSTANCES INVENTORY

SITE NO. Cust Dist RECORDER DATE 5/27/9.	<u> </u>
container id no. #4 zone truck	
TRADE NAME	
MANUFACTURER/VENDOR	_
LOT NO GRADE	_
CHEMICAL NAME	
SYNONYM	
STATE: LIQ X SOLID GAS OTHER top - yellow bottom - white	
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER	
REACTIVE POISON TWA AS PPM TWA AS MG/CU.M CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING	
BULDGINGOPEN/CONTENTS EXPOSED	
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG BOX STEEL DRUM POLY DRUM	
FIBER DRUM TANK VAT CYLINDER	
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER_	
weight or volume of container 1/2 full	•
HOW MANY OF THIS CONTAINER TYPE	
NOTES: pH=4 semi-soluble in H2O, soluble in Hexa	<u>u</u> e
semi-flammable; bottom = soluble in H2O, Semi-	<i>fl</i> ammable

SITE NO. Cast Distr. RECORDER DATE 51-7192
CONTAINER ID NO. # 5 ZONE +ruck
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER bright green
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOXSTEEL DRUM _X POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL T LITER
WEIGHT OR VOLUME OF CONTAINER 12 full
HOW MANY OF THIS CONTAINER TYPE
NOTES: Rotella Tmultigrade 15W-40 PH=7
Product Code: 50012. Soluble in H20
Neslo Petroleum Product Non-flommable



SITE NO. Cust. Distr. RECORDER DATE 5/37/9
container id no. #6 zone Truck
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER yellowish clear
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND TOP WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
weight or volume of container field
HOW MANY OF THIS CONTAINER TYPE
NOTES: pH=5 soluble in H20, Non-flammable.

PRELIMINARY ASSESSMENT (**) HAZARDOUS SUBSTANCES INVENTORY

SITE NO. Cust Distr. RECORDER DATE 5/27/92
container id no. #7 zone Truck
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ SOLID GAS OTHER
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING X OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: Shell Oil Co.; Rotella 50.
did not open

PRELIMINARY ASSESSMENT HAZARDOUS SUBSTANCES INVENTORY

SITE NO. Cast Dist	RECORDER	DATE	5127192
CONTAINER ID NO.	8#	ZONE	Truck
TRADE NAME			
MANUFACTURER/VEN	DOR		`
	GRADE		
			·
STATE: LIQ	SOLID GAS _	other yell	owish brown waxy
•	FLAMMABLEPOISON	EXPLOSIVE	OXIDIZER
TWA AS P	PM TWA AS MG	/cu.m	
CONDITION: GOOD	CORRODED/SOUND	WEAKENED	LEAKING
BULDG	INGOPEN/CONT	ENTS EXPOSED	
CONTAINER TYPE:	CARTON LABPACE		
	FIBER DRUMT	ANK VAT	CYLINDER
CONTAINER MEASUR	ED IN UNITS OF LB	KG GA	L LITER
WEIGHT OR VOLUME	OF CONTAINER	· · · · · · · · · · · · · · · · · · ·	
HOW MANY OF THIS	CONTAINER TYPE		
NOTES: PH = 7	, not soluble	in water,	soluble in
Hexane.	, semi-flammabl	ε	
•			

SITE NO. Cust Dis	RECORDER	DATE	-137192
CONTAINER ID NO.	# 9	ZONE	Truck
TRADE NAME			
	OOR		
LOT NO.	GRADE		
CHEMICAL NAME			· · · · · · · · · · · · · · · · · · ·
SYNONYM			
STATE: LIQ X	SOLID GAS	OTHER	· · · · · · · · · · · · · · · · · · ·
•	FLAMMABLE	EXPLOSIVE	OXIDIZER
	PM TWA AS MG/	CU.M.	
CONDITION: GOOD _	CORRODED/SOUND	WEAKENED	_ LEAKING
BULDGI	OPEN/CONTE	NTS EXPOSED	_
CONTAINER TYPE:	CARTON LABPACK	BOTTLE	BAG
	BOX STEEL DRU	M POLY DRUM	_X_
	FIBER DRUM TAI	NK VAT	CYLINDER
CONTAINER MEASURE	ED IN UNITS OF LB _	KG GAL	
WEIGHT OR VOLUME	OF CONTAINER	· · · · · · · · · · · · · · · · · · ·	
HOW MANY OF THIS	CONTAINER TYPE		
NOTES: pH= 7	soluble in w	ater, non-f	lammable.

SITE NO. Cust. Distr RECORDER DATE 5/25/92
CONTAINER ID NO. #10 ZONE Truck
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER top-brownish bottom- yellowish
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOXSTEEL DRUM X POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: Mobile DTE Oil Heavy Medium -
PH=7. Non-soluble in H20; Non-flammable.

HAZARDOUS	SUBSTANCES	INVENTORY

SITE NO. Cust. Date. RECORDER DATE 5 / 27/92
container id no. #11 zone Truck.
TRADE NAME
MANUFACTURER/VENDOR
LOT NO. GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ SOLID GAS OTHER Top: Near liquid bottom: black heavy Greas
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED bended
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM X POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL CT LITER
weight or volume of container <u>full</u>
HOW MANY OF THIS CONTAINER TYPE
NOTES: pH=7. Topphase: soluble in H20. Non-flammable.
Not-soluble in Hexane. Bottom phase: Stammable.
soluble in Hexane.

SITE NO. Cust Distr RECORDER DATE 5, 27,92
CONTAINER ID NO. #12 ZONE Truck.
trade name Cabite 30 -?
MANUFACTURER/VENDOR
LOT NO. GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ SOLID GAS OTHER white powdey
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED bended
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM POLY DRUM
FIBER DRUM X TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL 25 LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: pt = 14.; soluble in H20, not soluble in Hexage
non-Flammable. Highly Alkaline Industrial Prod
130 Abs/58.97 Kg.

PRELIMINARY ASSESSMENT (**) HAZARDOUS SUBSTANCES INVENTORY

SITE NO. Cist. Distr. RECORDER DATE 5 / 27 / 72
container id no. #13 zone Truck
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER Yellow
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM _X POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL 30 LITER
weight or volume of container <u>full</u>
HOW MANY OF THIS CONTAINER TYPE
NOTES: HNU: 300 units.
pH=7 not soluble in H20, soluble in Hexane
Flamable.

SITE NO. Cust. Dist RECORDER DATE DATE
container id no. #14 zone Truck.
TRADE NAME Cakite Acalaid
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER 5.5.
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL 30 LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: "contain no phosphate" pH=7.
Soluble in H20, Non-soluble in Hexane.
non-flamable

PRELIMINARY ASSESSMENT CHAZARDOUS SUBSTANCES INVENTORY

SITE NO. Cust. Distr. RECORDER DATE 5/27/92
CONTAINER ID NO. #15 ZONE Truck.
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER Yed
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG BOX STEEL DRUM POLY DRUM FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: Industrial Chemical/Maintenance Chemical;
certified" pH: 7 Not soluble in H20, Flammable
soluble in Hexane strong smell

PRELIMINARY ASSESSMENT CHAZARDOUS SUBSTANCES INVENTORY

SITE NO. Cust Distr. RECORDER DATE 5/ >7/92
CONTAINER ID NO. #16 zone side of pathway
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER dark brown
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM X POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: "Treatment Compound"
pH=7. soluble in H20, not soluble in Hexane.
non-flammable

SITE NO. Cust Distr. RECORDER DATE 5/27/1/2
container id no. #17 zone side of pathway
TRADE NAME
MANUFACTURER/VENDOR
LOT NO. GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ X SOLID GAS OTHER Clear
SAFETY: CORROSIVE GXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOXSTEEL DRUM POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: "Oil 4? Airs-? Inc"
PH=14. soluble in H20, not soluble in Hexane
non-flammable.

SITE NO. Cust. Distr. RECORDER DATE 5 1 27 192
container id no. #18 zone Corner of pathury.
MANUFACTURER/VENDOR
LOT NO. GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ SOLID GAS OTHER OTHER SOLID GAS OTHER SOLID SOLID GAS OTHER SOLID
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM _X POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL ST LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: "Flammable Liquid"
pH=8, semi-soluble in H20, non-flammable.

SITE NO. Cust Distr. RECORDER DATE DATE
container id no. #19 zone inside of building.
TRADE NAME
MANUFACTURER/VENDOR
LOT NO. GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ x SOLID GAS OTHER light brown, oily
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD X CORRODED/SOUND WEAKENED LEAKING
BULDGINGOPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM _X_ POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL CT LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: "Hydro - ?"
pH=7 not soluble in H20, Flammable.

PRELIMINARY ASSESSMENT HAZARDOUS SUBSTANCES INVENTORY

SITE NO. Cust Distr. RECORDER DATE 5 127 192
CONTAINER ID NO. #10 ZONE
TRADE NAME
MANUFACTURER/VENDOR
LOT NO. GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ SOLID GAS OTHER
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE BAG
BOX STEEL DRUM POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: battery PH=7.
·

SITE NO. Cust. Distr. RECORDER DATE 5/ 27/92
container id no. #21 zone dose to truck
TRADE NAME
MANUFACTURER/VENDOR
LOT NO GRADE
CHEMICAL NAME
SYNONYM
STATE: LIQ SOLID X GAS OTHER Green
SAFETY: CORROSIVE FLAMMABLE EXPLOSIVE OXIDIZER
REACTIVE POISON
TWA AS PPM TWA AS MG/CU.M
CONDITION: GOOD CORRODED/SOUND WEAKENED LEAKING
BULDGING OPEN/CONTENTS EXPOSED
CONTAINER TYPE: CARTON LABPACK BOTTLE X BAG
BOX STEEL DRUM POLY DRUM
FIBER DRUM TANK VAT CYLINDER
CONTAINER MEASURED IN UNITS OF LB KG GAL LITER
WEIGHT OR VOLUME OF CONTAINER
HOW MANY OF THIS CONTAINER TYPE
NOTES: pH: I soluble in H=0'. non-flammable.
"Nicla · 6H20"